

Submittal Data



Schwank Air Curtain Breeze9 Series:

Ambient, Electric Heated Air Curtains

Project

Schwank model #

Voltage

Date submitted

Features

Approvals / Certificates

UL Approval

Motor

2-speed motor.

High and low airflow settings.

Voltage: 120VAC/60Hz/1Ph.

Ambient only – no heat

Widths

136", 48", 60", 72"

For wider door openings, multiple units can be stacked together.

Model

Mounting up to 9ft.

Mounting indoors at a restaurant, retail, and other commercial building doorways.

Full-length steel rear mounting plate, and articulating discharge nozzle.

Factory wired 3 ft plug-in power cord.

Adjustable air directional vanes with 20° sweep.

The standard color is black.

Mounting brackets included.

Controls

Remote control and magnetic door switch — 12VDC included.


Warranty

1-year limited (ambient).

Performance

Tag	Qty	Model	Volt. (V~)	Freq (Hz)	Max input power (W)		Max air speed (m/s)		Air Volume (cfm)		Noise (dB)		Net Weight	
					H	L	H	L	H	L	H	L	lb.	kg
		AC-1036-12-BK	120	60	380	300	13	10	1177	942	67	65	29.8	13.5
		AC-1048-12-BK			530	450			1648	1295	69	67	37.5	17
		AC-1060-12-BK			690	610			2119	1648	71	69	46.3	21
		AC-1072-12-BK	120	60	760	680			2524	1941	72	70	54	24.5

Dimensions



Model	A inches (mm)	B inches (mm)	C inches (mm)	D inches (mm)	E inches (mm)	F inches (mm)	H inches (mm)	I inches (mm)	J inches (mm)
AC-1036-12-BK	37.20 (945)	17.33 (440)	---	---					
AC-1048-12-BK	49.21 (1250)		---	---	2.05 (52)	5.71 (145)	10.24 (260)	8.66 (220)	5.12 (130)
AC-1060-12-BK	61.18 (1554)	33.07 (840)	---	---					
AC-1072-12-BK	71 (1803)		---	---					

Additional Items

Tag	Qty	Part #	Color